AMENDMENTS TO THE CLAIMS

Please amend Claims 1, 2, 5, 6, 12, 13, 14, 15, 16, 19, 20, 21, 28, 29, 30 and 49 as follows:

1. (Currently Amended) A computer system comprising:

a processor;

a memory, coupled to the processor, and storing instructions executable on the processor, the instructions comprising

a forecast series creation set of instructions block configured to

identify hierarchy data defining a hierarchy structure of an organization, including data identifying a hierarchical position of each member of the organization,

identify a date and time to generate a forecast,

identify members of the organization to be included in the forecast, the members derived from the hierarchy,

identify forecast data to be automatically analyzed to generate the forecast, and

identify a visibility mode for the forecast, and

generate a forecast series comprising the identified hierarchy data, the identified date and time to generate the forecast, the identity of the members of the organization to be included in the forecast, the identity of the forecast data to be automatically analyzed, and the identified visibility mode;

an opportunity and revenue scheduling creation set of instructions block configured to identify forecast data; and

a forecast creation set of instructions block configured to generate the forecast [[,]] using the forecast series.

 (Currently Amended) The computer system of claim 1, wherein the hierarchy structure comprises a plurality of management levels, and

Sorial M.

the forecast series <u>creation set of instructions further comprises instructions</u> block is further configured to

define visibility rules that specify the forecast data that are visible to each management level of the organization to be stored on the storage device, and

include the visibility rules in the forecast series, and
the forecast creation set of instructions further comprises instructions block is
further configured to generate a forecast for any management level of the
organization, wherein

each forecast that is generated is based on forecast data that are visible to the management level for which that forecast corresponds as specified by the visibility rules.

- 3. (Previously Presented) The computer system of claim 2, wherein a forecast is generated for a manager, and the visibility rules include a maximum hierarchy depth search value n defining a search scope such that the forecast generated for the manager is generated from the manager's own forecast data and from forecast data corresponding to members of the organization who are defined to be both subordinate to the manager and occupy a management level in the hierarchy that is <= n levels below a management level occupied by the manager.
- 4. (Cancelled)
- 5. (Currently Amended) The computer system of claim 1 [[,]] wherein the opportunity and revenue scheduling creation set of instructions further comprises instructions block is further configured to

enable a member of the organization to submit a forecast to a superior; and prevent the member from modifying the forecast after it has been submitted.

6. (Currently Amended) The computer system of claim 5, wherein the forecast creation set of instructions further comprises instructions block is further configured to present forecast data in a graphical format that enables a member to compare forecast data corresponding to related forecasts over time that are specified to be visible to that member.

7-11. (Cancelled)

12. (Currently Amended) A computer system comprising:

a processor;

a memory, coupled to the processor, and storing instructions executable on the processor, the instructions comprising

a forecast series <u>creation set of instructions comprising instructions</u> block configured to

identify hierarchy data defining members of an organization and a hierarchical position of each member,

determine an identity of a current forecast participant who is a member of the organization,

identify members of the organization who are subordinate to the current forecast participant based on the hierarchy data,

identify a date and time to generate a forecast,

identify members of the organization to be included in the forecast, the members derived from the hierarchy,

identify forecast data to be automatically analyzed to generate the forecast,

identify a visibility mode for the forecast, and

- 4 -

generate a forecast series comprising the identified hierarchy data, the identity of the current forecast participant, the identity of members of the organization who are subordinate to the current forecast participant, the date and time to generate the forecast, the identity of the members of the organization to be included

in the forecast, the identity of the forecast data to be
automatically analyzed, and the visibility mode;
an opportunity and revenue scheduling creation set of instructions
comprising instructions block configured to identify forecast data
corresponding to the members of the organization; and
a forecast creation set of instructions comprising instructions block
configured to

generate forecasts for one or more members of the organization who are identified as being subordinate to the current forecast participant, using the forecast series, and present forecast data to the current forecast participant.

13. (Currently Amended) The computer system of claim 12, wherein the current forecast participant is a manager whose forecast is determined, at least in part, on forecasts that are submitted by one or more selected members of the organization who are subordinate to the manager, and

the forecast creation set of instructions further comprises instructions block is further configured to

automatically generate a forecast for any member among said one or more selected members who has yet to submit a forecast, and generate a forecast for the manager based on a combination of forecasts submitted by said one or more selected members and any forecast that is automatically generated.

14. (Currently Amended) The computer system of claim 13[[,]] wherein the forecast creation set of instructions further comprises instructions block is further configured to automatically calculate forecasts for said one or more selected members of the organization who are subordinate to the manager and have not submitted their forecast in a recursive manner from lower levels to higher levels in the organization's hierarchy, wherein the manager occupies at least a second level of management in the organization's hierarchy.

- 5 -

15. (Currently Amended) A system comprising:

a processor;

a memory, coupled to the processor, and storing instructions executable on the processor, the instructions comprising

a forecast series creation set of instructions block configured to

identify hierarchy data defining a hierarchy structure of an organization, including data identifying a hierarchical position of members of the organization,

identify rules that specify forecast data that are visible to each member of the organization,

identify a date and time to generate a forecast,

identify members of the organization to be included in the forecast, the members derived from the hierarchy,

identify forecast data to be automatically analyzed to generate the forecast,

identify a visibility mode for the forecast, and

generate a forecast series comprising the identity of the hierarchy data, the identified rules, the date and time to generate a forecast, the identity of the members of the organization to be included in the forecast, the identity of the forecast data to be automatically analyzed, and the identified visibility mode;

an opportunity and revenue scheduling creation set of instructions block

configured to send data comprising a set of interactive HTML

components via a computer network to a client, a portion of which

enable forecast data corresponding to members of the organization to

be entered via the client; and

a forecast creation set of instructions block configured to

generate a forecast for members of the organization using the forecast series, wherein each forecast is generated based on forecast data that are visible to corresponding members according to the visibility rules, and send forecast data corresponding to the forecast to the client to be viewed by a user through use of the set of interactive HTML components.

16. (Currently Amended) The computer system of claim 15, wherein the hierarchy structure comprises a plurality of management levels, the forecast series creation set of instructions further comprises instructions block is further configured to

define visibility rules that specify the forecast data that are visible to each management level of the organization, and include the visibility rules in the forecast series, and

the forecast creation set of instructions further comprises instructions block is

further configured to generate a forecast for any management level of the organization, wherein

each forecast that is generated is based on forecast data that are visible to the management level for which that forecast corresponds as specified by the visibility rules.

- 17. (Previously Presented) The system of claim 15, wherein a forecast is generated for a manager, and the visibility rules include a maximum hierarchy depth search value n defining a search scope such that the forecast generated for the manager is generated from the manager's own forecast data and from forecast data corresponding to members of the organization who are defined to be both subordinate to the manager and occupy a management level in the hierarchy that is <= n levels below a management level occupied by the manager.
- 18. (Cancelled)
- 19. (Currently Amended) The system of claim 15, wherein the forecast creation set of instructions further comprises instructions block is further configured to:

 enable a member of the organization to submit a forecast to a superior; and

-7-

prevent the member from modifying the forecast after it has been submitted.

- 20. (Currently Amended) The system of claim 19 [[,]] wherein the forecast creation set of instructions further comprises instructions block is further configured to enable one or more of the superior to which the forecast was submitted and a system administrator to unsubmit the forecast such that the member who submitted that forecast is enabled to modify the forecast.
- 21. (Currently Amended) The system of claim 15, wherein the forecast creation set of instructions further comprises instructions block is further configured to send data to the client, and the set of interactive HTML components are configured to present the forecast data in a graphical format that enables a member to compare forecast data corresponding to related forecasts over time that are specified to be visible to that member.
- 22 27. (Cancelled)
- 28. (Currently Amended) A system comprising:
 - a processor;
 - a memory, coupled to the processor, and storing instructions executable on the processor, the instructions comprising
 - a forecast series <u>creation set of instructions</u> block configured to identify hierarchy data defining members of an organization and a hierarchical position held by each member to be stored in a database.
 - determine an identity of a current forecast participant who is a member of the organization and using the client,
 - identify members of the organization who are subordinate to the current forecast participant based on the hierarchy data, identify a date and time to generate a forecast,

identify members of the organization to be included in the forecast, the members derived from the hierarchy,

identify forecast data to be automatically analyzed to generate the forecast,

identify a visibility mode for the forecast, and generate a forecast series comprising the identity of the current forecast participant, the identity of members of the organization who are subordinate to the current forecast participant, the date and time to generate the forecast, the identity of members of the organization to be included in the forecast, the identity of forecast data to be automatically analyzed, and the identified visibility mode, [[;]]

an opportunity and revenue scheduling creation set of instructions block

configured to send data corresponding to a set of interactive HTML

components via a computer network to a client that enable forecast

data corresponding to members of the organization to be entered by a

user of the client; and

a forecast creation set of instructions block configured to

generate forecasts, using the forecast series, for one or more members of the organization who are identified as being subordinate to the current forecast participant, and

send forecast data to the client to be displayed to the user via the set of interactive HTML components.

29. (Currently Amended) The system of claim 28, wherein

the current forecast participant is a manager whose forecast is determined, at least in part, on forecasts that are submitted by one or more selected members of the organization who are subordinate to the manager, and

the forecast creation set of instructions further comprises instructions block is

further configured to

-9-

automatically generate a forecast for any member among said one or more selected members who has yet to submit a forecast, and

. .

generate a forecast for the manager based on a combination of forecasts submitted by said one or more selected members and any forecast that is automatically generated.

30. (Currently Amended) The system of claim 29, wherein the forecast creation <u>set of instructions further comprises instructions</u> block is further configured to

automatically calculate forecasts for said one or more selected members of the organization who are subordinate to the manager and have not submitted their forecast in a recursive manner from lower levels to higher levels in the organization's hierarchy, wherein

the manager occupies at least a second level of management in the organization's hierarchy.

31 - 44. (Cancelled)

45. (Previously Presented) A method comprising:

identifying hierarchy data defining a hierarchy structure of an organization, including data identifying a hierarchical position of each member of the organization; identifying a date and time to generate a forecast;

identifying members of the organization to be included in the forecast, the members derived from the hierarchy;

identifying forecast data to be automatically analyzed to generate the forecast; identifying a visibility mode for the forecast;

generating a forecast series comprising the identified hierarchy data, the identified date and time to generate the forecast, the identity of the members of the organization to be included in the forecast, the identity of the forecast data to be automatically analyzed, and the identified visibility mode; and generating the forecast using the forecast series.

- 10 -

Coriol N

46. (Previously Presented) The method of claim 45, wherein the hierarchy structure comprises a plurality of management levels and further comprising:

defining visibility rules that specify the forecast data that are visible to each
management level of the organization to be stored on the storage device;
including the visibility rules in the forecast series; and
generating a forecast for any management level of the organization using the forecast
series, wherein each forecast that is generated is based on forecast data that
are visible to the management level for which that forecast corresponds as

47. (Previously Presented) The method of claim 45, further comprising presenting the forecast in a graphical format that enables a member to compare forecast data corresponding to related forecasts over time that are specified to be visible to that member.

specified by the visibility rules.

48. (Previously Presented) A machine-readable media on which a plurality of machine-executable instructions are stored that when executed by a machine generates forecast information corresponding to an organization by performing the operations of:

identifying hierarchy data defining a hierarchy structure of the organization, including data identifying a hierarchical position of each member of the organization; identifying a date and time to generate a forecast;

identifying members of the organization to be included in the forecast, the members derived from the hierarchy;

identifying forecast data to be automatically analyzed to generate the forecast; identifying a visibility mode for the forecast;

- 11 -

generating a forecast series comprising the identified hierarchy data, the identified date and time to generate a forecast, the identity of the members of the organization to be included in the forecast, the identity of the forecast data to be automatically analyzed, and the identified visibility mode; and generating the forecast using the forecast series.

49. (Currently Amended) The computer system of Claim 1, wherein the <u>date</u> data and time to generate a forecast comprises:

a base period identifying a period over which forecast items are aggregated; an interval period identifying a frequency at which forecasts are made within the base period; and

a start date identifying the earliest date for which the forecast can be generated.

50. (Previously Presented) A method comprising:

identifying hierarchy data defining a hierarchy structure of an organization, wherein the hierarchy data comprises a hierarchical position of each member of the organization;

identifying a date and time to generate a forecast;

identifying members of the organization to be included in the forecast, the members derived from the hierarchy;

identifying forecast data to be automatically analyzed to generate the forecast; generating a forecast series comprising the identified hierarchy data, the identified date and time to generate the forecast, the identity of the members of the organization to be included in the forecast, and the identity of the forecast data to be automatically analyzed; and

generating the forecast using the forecast series.